LCCF CHECKLIST LOW CARBON CITIES FRAMEWORK AND ASSESSMENT SYSTEM (LCCF)

MALAYSIAN GREEN TECHNOLOGY CORPORATION

No. 2, Jalan 9/10, Persiaran Usahawan, Seksyen 9, 43650 Bandar Baru Bangi, Selangor Darul Ehsan Tel: (603) 8921 0800 Faks: (603) 8921 0802

Website: www.greentechmalaysia.my Email: info@greentechmalaysia.my

PART 1: PROJECT INFORMATION

SECTION A: GENERAL INFORMATION					
Applicant Category		Developer Local Authority Consultant Others (Please sp	pecify)		
Organisation	:				
Registration No.					
Officer Incharge					
Designation	:				
Address	:				
			Post Code	:	
Telephone	:			:	
Fax	:			:	
Signature	:		Date	:	
Company stamp	:				
Project Name Address					
			Post Code	:	
Development Type (Industry/residential, Site Size (ha or sqm)	/commercial etc.) : 	State		
		For office	use only		
Checked by	:				
Designation	:				
Signature	:		Date	:	
Approved by	:				
Designation	:				
Signature	:		Date	:	

	SECTION C: LCCF CRITERIA					
Approa	ach	City Based (mitigating all One System (mitigating on Urban Environment Building (Section Ourban Transport (Surban Infrastructure)	ne criterio (Section C (ii)) ection C	on or n C (i)) (iii))	ot all the criteria in the LCCF)	
	SECT	ION C (i): Urban Environment	SECTI	ON C (i	ii): Urban Transport	
UE 1	Site S	Selection	UT1	Shift	of Transport Mode	
	1-1	Development within Define Urban Footprint		1-1	Single occupancy Vehicle (SOV) Dependency	
	1-2	Infill Development	UT 2	Gree	n Transport Infrastructure	
	1-3	Development within Transit Nodes and Corridor		2-1	Public Transport	
	1-4	Brownfield and Greyfield Redevelopment		2-2	Walking and Cycling	
	1-5	Hill Slope Development	UT 3	Clear	ı Vehicles	
UE 2	Urba	n Form		3-1	Low Carbon Public Transport	
	2-1	Mixed-Use Development		3-2	Low Carbon Private Transport	
	2-2	Compact Development	UT 4	Traff	ic Management	
	2-3	Road and Parking		4-1	Vehicle Speed Management	
	3-4	Comprehensive Pedestrian Network		4-2	Traffic Congestion and Traffic Flow Management	
	2-5	Comprehensive Cycling Network		•	S	
	2-6	Urban Heat Island (UHI) Effect	SECTI	ON C (i	v): Urban Infrastructure	
UE 3	Urba	n Greenery and Environmental Quality	UI 1	Infra	structure Provision	
	3-1	Preserve Natural Ecology, Water Body and Biodiversity		1-1	Land Take for Infrastructure and Utility Services	
	3-2	Green Open Space		1-2	Earthwork Management	
	3-3	Number of Trees		1-3	Urban Storm Water Management and Flood Mitigation	
			UI 2	Wast	re	
SECTIO	ON C (ii): Building		2-1	Construction and Industrial Waste Management	
B1	Low	Carbon Buildings		2-2	Household Solid Waste Management	
	1-1	Operational Energy Emissions	UI 3	Ener	gy	
	1-2	Operational Water Emissions		3-1	Energy Optimisation	
	1-3	Emission Abatement through Retrofitting		3-2	Renewable Energy	
	1-4	Building Orientation		3-3	Side-Wide District Cooling System	
В 2	Comi	munity Services	UI 4	Wate	er Management	
	2-1	Shared Facilities and Utilities within Building		4-1	Efficient Water Management	

SECTION C (i): URBAN ENVIRONMENT

	ITEM	APPLICABILITY	REMARKS
LIDD		(Y/N/NA)	
UKB	AN ENVIRONMENT (UE) 1 : SITE SELECTION		
1-1	Development Within Defined Urban Footprint		
	a. Site/Land is already served by urban services		
	(open space, community facilities, public transport etc.)		
	b. Site/Land is already committed or approved for		
	development.		
	Infill Development		
	a. Site/Land is located in an existing built area or		
	within a currently being developed area		
1-2	b. Site/Land is within and/or near existing		
	communities or neighbourhood area		
	c. Site is served by public transit and		
	infrastructure i.e. existing water, power, sewer, drainage and roads.		
	Development Within Transit Nodes and Corridors		
	a. Site/Area is served by public transit i.e. bus and		
	rail		
1-3	b. Site is within existing public transit corridor i.e.		
1-3	rail transit station or bus rapid transit station		
	(within 400m to 800 m from transit stations)		
	c. Site has retail activities/public housing within		
	transit corridor.		
	Brownfield & Greyfield Redevelopment		
	 Site is abandoned, underutilized within city area/limits 		
	b. Site is served by existing infrastructure – roads,		
1-4	drains, sewer, water, power, public transit etc.		
	c. Site is to be redeveloped with an environmental		
	remediation program and with a more		
	productive use.		
	Hill Slope Development		
	a. Site is not classified under Class III (25-35		
	degrees) and Class IV (>35°) category. b. Site is served by existing infrastructure – roads,		
	drains, sewer, water, power, public transit etc.		
	c. Site has an established slope protection and		
1-5	management plan by Local Planning		
	Authority/related agencies		
	d. Slope areas has natural vegetation or has been		
	restored with native plants or non-invasive		
	plants		
	e. Slope areas have earlier been disturbed and are exposed to weather conditions.		
	Total Criteria Achieved for UE1		16

	ITEM	APPLICABILITY (Y/N/NA)	REMARKS
URB	AN ENVIRONMENT (UE) 2 : URBAN FORM	(1/N/NA)	
O I L	Mixed-use Development		
	a. Project/site integrates 2 or 3 uses/activities		
2-1	that encourage prolonged use of space		
	b. Project/site includes housing options for		
	diverse household types		
	Compact Development	<u> </u>	
	a. Project/site is of an acceptable high density		
	development with mixed of uses for		
2-2	building/land.		
L-L	b. Project/site is of an acceptable high density		
	development with complete community		
	facilities (schools, kindergarten, park, surau,		
	childcare centre)		
	Roads and Parking	T T	
	a. Site/development has less than 20% area for		
	roads and at-grade parking OR parking spaces		
	is balanced with parks, open spaces and		
2.2	landscape areas		
2-3	b. Parking surfaces uses pervious material such as		
	Grass Crete etc.		
	c. Building/s allows for connected and shared		
	parking with other adjacent building/s. d. Local service roads are designed for moderate		
	speed i.e. less than 40 km/hr.		
	Comprehensive Pedestrian Network		
	a. Site/development is accessible by pedestrian		
	walkways i.e. more than 70% of area is		
	accessible by pedestrian network (at-grade,		
	elevated etc)		
2-4	b. Public accessible buildings/areas are		
	connected/accessible by Pedestrian Walkway		
	i.e. school, shopping mall, parks, civic buildings,		
	transit stations etc.		
	c. TOD/TAD/TED zone is 100% walkable and		
	accessible to pedestrian		
	Comprehensive Cycling Network		
	a. Site/development has a dedicated, continuous		
	and safe cycling network.		
2-5	b. Cycle way is integrated with other activity		
	nodes i.e. school, shopping, parks, offices and		
	transit stations.		
	c. Site/development provides bicycle parking at major nodes and transit stations.		
	urban Heat Island (UHI) Effects a. Site/development has shaded/canopied trees		
	along its main street, service roads and/or		
2-6	within its plot development.		
2-0	b. Site/development incorporates vegetation on		
	roof tops/community garden and/or external		
	façade of buildings.		
I	J	1	

		ITEM	APPLICABILITY (Y/N/NA)	REMARKS
	c.	Site/development incorporates water-retentive pavement or other paving materials that is solar reflective (Solar Reflective Index.)		
	d.	Site/development incorporates solar reflective coatings/light coloured/high albedo materials according to the Solar Reflective Index (SRI)		
	e.	Site/development has varying heights of buildings in its city centre area.		
		Total Criteria Achieved for UE2		19
URB		ENVIRONMENT (UE) 3: URBAN GREENERY AND		QUALITY
	Pr a.	eserve Natural Ecology, Water Body and Biodiv Site/development incorporates green and/or blue corridors in the plan	ersity	
3-1	b.	Site/development incorporates plan to enhance existing habitats and creation of new habitats for urban biodiversity		
	C.	Site/development clearly identifies areas for environmental sensitive protection		
	d.	Site/development preserves existing forest, trees/vegetation, water bodies and/or wetlands		
	Gr	een Open Space		
3-2	a.	Site/development has a gazette/approved public open space or has more than the minimum 10% required open spaces (30% is ideal).		
3 <u>2</u>	b.	Site/development has greenways that link every open space and parks.		
	C.	Site/development incorporates double-volume landscape (for high rise project/development only)		
	Nu	mber of Trees		
	a.	Incorporation of tree planting programme/campaign		
		Has a program to increase number of trees planted per year.		
3-3	c.	Have trees that are fast-growing, canopied and low maintenance types of trees. Please state their name(s):		
		Total Criteria Achieved for UE3		10

SECTION C (ii): BUILDING

	ITEM	APPLICABILITY (Y/N/NA)	REMARKS					
BUIL	BUILDING (B) 1 : LOW CARBON BUILDINGS							
	Operational Energy Consumptions (Jabatan Banga	Operational Energy Consumptions (Jabatan Bangunan/Kejuruteraan)						
1-1	 a. Monitor current energy consumption during the operational stage of building(s) b. Undertake projection of energy consumption during the operational stage of building(s). c. Undertakes comparison of building performances to the benchmark of Building Energy Index (BEI) using Common Carbon 							
	Matrix d. (CCM) methodology.							
	Operational Water Consumptions							
	Monitor current water consumption during the operational stage of building(s)							
1-2	b. Undertake projection of water consumption during the operational stage of building(s)							
	 Undertake comparison of building performances to the benchmark of Building Water Index (BWI) using CCM methodology. 							
	Emissions Abatement Through Retrofitting(existi	ng building)						
1-3	a. Reuse existing buildings for a more productive usage.							
	b. Installation of renewable and alternative energy (e.g. solar-powered, wind turbine, etc.)							
	Building Orientation							
1-4	Utilization of passive solution on buildings for maximization of daylighting and wind.							
	b. Clear connection between indoor and outdoor spaces through air ventilation.							
	Total Criteria Achieved for B1							
BUIL	DING (B) 2 : COMMUNITY SERVICES							
	Shared Facilities and Utilities Within Buildings							
2-1	a. Integrated building use with community service centres (i.e. Urban transformation Centre, UTC)							
	Total Criteria Achieved for B2		1					

SECTION C (iii): URBAN TRANSPORT

	ITEM	APPLICABILITY (Y/N/NA)	REMARKS				
URB	JRBAN TRANSPORT (UT) 1: SHIFT OF TRANSPORT MODE						
1-1	Single Occupancy Vehicle (SOV) Dependency						
	a. Site/Development incorporates priority parking zone for car-pool vehicles.						
	b. Site/development has Time Zone Parking for areas that are within transit corridors/accessible by public transport.						
	c. Site/development provides 'Park & Ride' area (for areas with transit).						
	d. Site/development implements road area pricing or congestion charges in City Centre or selected areas.						
	e. Site/development implements high car parking charges in City Centre or selected areas. (excluding park & ride parking facilities)						
	Total Criteria Achieved for UT1		5				
URB	AN TRANSPORT (UT) 2 : GREEN TRANSPORT INFRA	STRUCTURE					
	Public Transport						
	a. Site/development is fully served by public transport and ample transit stations are provided within 150m to 250m interval (buses)						
2-1	or 400m (for rail). b. Site/development clearly identifies and demarcates areas where no private vehicular access is allowed						
	c. Site/development provides a well-planned, covered and safe walkways or bicycle ways leading up to feeder transport.						
	d. Site/development has Inter-modal stations to integrate various modes of transportation.						
	Walking and Cycling	<u> </u>					
2-2	a. Site/Development integrates pedestrian and cycling networks with other activity, nodes and public transport system.						
	b. Site/Development provides continuous dedicated lanes for cycling and walking.						
	Total Criteria Achieved for UT2		6				

	ITEM	APPLICABILITY (Y/N/NA)	REMARKS
URB	AN TRANSPORT (UT) 3 : CLEAN VEHICLES		
3-1	Low Carbon Public Transport		
	a. The City/State has a clean fuel policy.		
	b. The public transport (bus) is using clean fuel or		
	alternative fuel usage.		
3-2	Low Carbon Private Transport		
	a. Convert existing government vehicles to low carbon vehicles.		
	b. Provision of locational incentives for low		
	carbon vehicles such as low parking rates and		
	priority parking for EV's/ Hybrid Vehicles.c. Site/development provides charging stations		
	for hybrid vehicles or EV's.		
	Total Criteria Achieved for UT3		5
URB	AN TRANSPORT (UT) 4 : TRAFFIC MANAGEMENT		
	Vehicle Speed Management		
	a. Site/development has a comprehensive and		
4-1	integrated traffic management plan.		
	b. Site/development incorporates passive design		
	solutions to roads such as traffic calming in order to reduce vehicular speed.		
	Traffic Congestion and Traffic Flow Management		
	a. Site/development has a Traffic Impact		
	Assessment (TIA)/Traffic Study.		
4.2	b. Site/development prioritizes ingress and egress		
4-2	to ensure sufficient and smooth flow in or out of		
	the development. c. Site/development incorporates smart traffic		
	control and Integrated Traffic Information	NA	
	System (ITIS).	****	
	Total Criteria Achieved for UT4		5

SECTION C (iv): URBAN INFRASTRUCTURE

	ITEM	APPLICABILITY (Y/N/NA)	REMARKS
URB	AN INFRASTRUCTURE (UI) 1 : INFRASTRUCTURE P		
	Land Take for Infrastructure and Utility Services	(Jabatan Kejuruter	raan)
1-1	a. Site/development has a common utility		
1-1	tunnel/reserve that allows utilities to share		
	common reserves.		
	Earthwork Management (Jabatan Kejuruteraan)		
	a. Site/development has an earthwork		
4.0	management plan of the development.		
1-2	b. Site/development clearly identifies the		
	limitation of earthwork movements to within		
	the development area and minimizes any cut		
	and fill activities.	(7.1 . 77.1	
	Urban Storm Water Management and Flood Mitig	ation (Jabatan Keji	ıruteraanj
	a. Site/development has a local floodplain		
	management plan that clearly identifies high		
	and moderate risk floodplain area.b. Site/development clearly identifies flood		
	mitigation strategies (whereby necessary).		
	c. Site/development incorporates storm water		
	management plan with detail description on		
	stormwater run-off conditions.		
	d. Site/development incorporates well-planned		
	and good design for drainage and irrigation		
1-3	system.		
	e. Site/development incorporates pervious		
	pavement for road surfaces that captures,		
	slows, filters and potentially infiltrates storm		
	water runoff into the ground.		
	f. Site/development incorporates storm water		
	facilities that are simple and cost effective such		
	as vegetated swales, rain gardens and green roofs that are best fit for different		
	types/conditions of developments (e.g. low-		
	density, high-density, commercial main street,		
	boulevard, parking lots, etc.		
	Total Criteria Achieved for UI1		9
	Total Griteria Achievea for 611		,
URB	AN INFRASTRUCTURE (UI) 2 : WASTE		
	Construction and Industrial Waste Management		
	a. Site/development incorporates plan for		To check with CIDB
	segregation of construction and/or industry		on green
2 1	waste materials on site.		construction
2-1	b. Site/development clearly identifies reuse of		
	each category of waste within the site.		
	c. Site/development uses recycled construction materials from certified renewable resources,		
	eg. wood salvage from demolition etc.		
		1	i

	ITEM	APPLICABILITY (Y/N/NA)	REMARKS
	d. Site/development incorporates innovative solutions to replace the conventional system, i.e. formwork to IBS (Industrial Building System).		
	Household Waste Management		
2-2	 a. Project/Development has a waste prevention programme to support households and communities to be resource efficient and encourage recycling and up-cycling activities that generate local economy. b. Site/development has established an effective waste disposal system/facility and undertakes waste segregation at source. c. Site/development uses innovative technology or has systems such as transfer station, composting plant and thermal treatment plant to manage waste. d. Site/development has established a method for 		
	organic waste (green waste from food and garden) usage such as composting etc.		
	Total Criteria Achieved for UI2		8
	AN INFRASTRUCTURE (UI) 3 : ENERGY		
3-1	Energy Optimisation	,	
	 Use of day lighting (passive design solution) as an integral part of the development. 		
	Renewable Energy		
	a. Utilisation of any renewable source of energy by solar, wind and biogas or any other sources.		
	b. Installation of wind generators on tall buildings.		
	c. Utilisation of methane gas from waste landfill sites as energy supply.		
3-2	d. Installation of solar panels on buildings with large roof surfaces as solar farms in order to harvest energy.		
	e. Use of solar or low energy consumption street furniture and fixtures - street lights and lightings of other public spaces, parking meter etc.		
	Site-wide District Cooling	,	
3-3	a. Site/development incorporates site-wide		
	district cooling system.		

URB	RBAN INFRASTRUCTURE (UI) 4 : WATER				
	Eff	ficient Water Management			
	a.	Efficient design of collection of grey water and			
		black water for recycle use.			
	b.	Site/development incorporates roof-water			
		collection system (e.g. rainwater harvesting) for			
4-1		irrigation or other uses to reduce potable water			
		usage.			
	c.	Use of low flow sanitary fittings and efficient			
		water fixtures for optimisation use of water			
	d.	Site/development have an effective sewage			
		treatment plan.			
		Total Criteria Achieved for UI4		4	
		TOTAL CRITERIAS ACHIEVED		108	

PART 2: SCORING AND RATING OF LCCF

50 - 59

< 50

An unclassified rating represents performance that is no compliant with the LCCF Standard. This may be due to failure to meet the key assessment or the overall threshold score required for baseline carbon emission calculation.

Pass

Unclassified

Criteria	No of Criteria	No of Applicable Criteria	Score	Percentage Score	Remarks
URBAN ENVIRO	NMENT				
UE 1	16				
UE 2	19				
UE 3	10				
SCORE FOR UE	45				
BUILDIN	G				
B 1	10				
B 2	1				
SCORE FOR B	11				
URBAN TRANS	SPORT				
UT 1	5				
UT 2	6				
UT 3	5				
UT 4	5				
SCORE FOR UT	21				
URBAN INFRAST	RUCTURE				
UI 1	9				
UI 2	8				
UI 3	7				
UI 4	4				
SCORE FOR UI	30				
OVERALL SCORE	105				